SUPER SPACE ADVANTAGES







Easy to Maintain



Environmental Friendly




Cheaper and Ideal



Long-Lasting



Easy Installation



Scratch & Burn Resistant Impact-Resistant





Hygienic & Anti-Bacterial



Moisture Resistant



Space Saving



Attractive range of colours

SVP Designs and Architrade

- 2, G K Industrial Estate, 1st Main Road, 3rd Cross Street, Porur, Chennai, Tamil Nadu-600116.
- Info@svpdesigns.in, svpdesignsindia@gmail.com
- www.toiletcubiclesinchennai.com
- 91 8056191007 | 91 6382879237







AN **ELEGANT COMBINATION OF SPACE & HYGIENE**

Quality, Craftsmanship, Integrity, Experience, Service.









VISION

To maintain and strengthen our position nationally and globally in Home Décor space with an array of new innovative products and adding value to life.

MISSION

We are committed to being the market leader by constantly innovating and delivering newer products and services.

We aim to set the highest possible standard in quality, value and customer satisfaction.

Domes **Expertise**

Spaces Your **Elevate**

Best company to contact for getting Rectangular HPL Toilet Cubicle, HPL Interior Wall Cladding, Nylon Toilet Cubicle Partition, Acrylic Solid Sheet, Exterior Wall Cladding Services, and many other products and services.

SVP Designs And Architrade is a renowned company in the markets for wall cladding products and services. We started in 2022 and since then have been adding a variety to our portfolio and meeting the market requirements. As a trader, we are extensively loved by customers for our HPL Interior Wall Cladding, Rectangular HPL Toilet Cubicle, Acrylic Solid Sheet, Nylon Toilet Cubicle Partition, and Acrylic Solid Surface. We are also famous for our Exterior Wall Cladding Services, Ceramic Wall Cladding Services, Weatherboard Wall Cladding Services, and solutions as Residential Interior Decorators.

Wall claddings that are extensively trending these days are basically a decorative covering to the surface of wall to improve the aesthetic appearance. Our goal at SVP Designs and Architrade is to have the walls appear to be constructed of a different material than what is really used. We bring the new texture and uniqueness to a piece of your kitchen or living area with a simple and hassle-free method of wall cladding.

So what are you waiting for? Transform your walls from boring to amazing. They are, after all, the ideal medium on which to convey your artistic inclinations. Reach out to us right now!






disadvantages of wet system

- · Cleaning of floor becomes difficult
- Dirt and stains easily settle down on the bottom because of its porous surface
- Tile designs can go out of production making its replacement difficult
- Since the grout joints are porous they can easily absorb
- Loss of space-Usage of 6' x 6" thick walls result in loss of 3 sq.ft area per partition
- Load of building is high
- No means of natural ventilation is provided

advantages of dry system

- Economy of space-The partition panels are only 12mm or 18mm thick as compared to 150mm thick brick wall
- Economy of load-Partitioning systems reduces the load on building as compared to the usage of brick wall
- Reduced installation time-4 cubicles can be setup in a day
- Neatness-Since no wet work is involved
- Proper air ventilation access is provided in the designs
- Easy floor cleaning-Absence of corners doesn't let the dust to accumulate on the floor
- Vibrant range-Available in different colours and patterns

MATERIAL CONFIGURATION



compact solid grade laminate board

hardware system




SS Legs



SS Shoe Box-up

CUBOID from STYLAM offers you an assortment of hardware fittings that endeavor to provide you with pleasing aesthetics and superior performance at an economical price. Crafted from high quality imported materials, these hardware fittings are available in polyamide, stainless steel and aluminum finishes. Within the stainless steel hardware, CUBOID offers you with two distinct

- SS Grade 304 is the most versatile '18/8' stainless steel. Its malleable and ductile nature is due to its superior forming and welding characteristics. While drawing thin sheets, intermediate and post weld annealing is not needed on this grade.
- SS Grade 316 with its added content of Molybdenum and higher amount of nickel, gives





conditions like sea water, chloride contaminated media and acetic acid vapors. With higher strength, the SS 316 has better pitting, crevice and creep resistance to corrosion.



PROseries **DURA**

Simplicity is the ultimate sophistication, personified by the **DURA/PRO series** of cubicle systems. These systems come in high endurance compact laminates in multiple designs with solid stainless steel top rails and adjustable legs for efficient floor clearance.

All accessories like hooks, hinges, door knobs are in stainless steel. This series is perfect for high traffic areas like shopping malls, offices, or hospitals where one strives for simplicity, elegance and functionality.

PROPOSED APPLICATION AREAS

commercial

offices / shopping malls / commercial complex


hospitality restaurants

healthcare

hospitals / clinics

stadium / sports clubs / gym / club houses

CUBICLE SYSTEMS



FRONT ELEVATION

TOP VIEW SPECIAL FORMAT REGULAR FORMAT FOR SPECIALLY ABLED

SPECIAL FORMAT FOR SPECIALLY ABLED REGULAR FORMAT

30

DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	2065	2065
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1860	1860
Door width	600	900
Top rail height	55	55
Bottom gap	150	150
HPL Thickness	12	12

THE STRUCTURE

- The adjustable legs (SS Grade 316) provided in the DURA series are anchored to the floor so that mid/end pilasters could be fixes on them.
- The base of leg is anchored to the floor with nylon plugs that are inserted into ground with SS screws
- The adjustable legs provide floor clearance of 150 mm.
- The top rail (SS Grade 304) is fixed to maintain alignment of all pilasters (mandatory in 12 mm model)
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through SS U-channels.
- Maintaining the floor clearance of 150 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

SPECIAL FEATURES

- Adjustable SS legs
- SS Top rail arrangement for better stability, strength and aesthetics
- SS accessories





SS Top rail









Adjustable SS Legs

Privacy indicator/Knob

PROseries MAX

Magnificent design is a way of life with the MAX/PRO series of cubicle systems.

These systems come with adjustable stainless steel legs that are anchored to the floor giving you high floor clearance for effective cleanliness. Anodized, aluminum top rails provide you with high endurance, functional capability. All cubicle accessories are in stainless steel. These rich in design, high strength, and economical systems are your go-to choice for high traffic areas.

PROPOSED APPLICATION AREAS

commercial

offices / shopping malls / commercial complex

hospitality restaurants

restauran

healthcare

hospitals / clinics


sports & wellness

stadium / sports clubs / gym spa / club houses

education

schools / collages / universities

CUBICLE SYSTEMS



FRONT ELEVATION

REGULAR FORMAT SPECIAL FORMAT FOR SPECIALLY ABLED

REGULAR FORMAT SPECIAL FORMAT FOR SPECIALLY ABLED

DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	2055	2055
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1815	1815
Door width	600	900
Top rail height	45	45
Bottom gap	150	150
HPL Thickness	12	12

THE STRUCTURE

- The adjustable legs provided in the PRO series are anchored to the floor so that mid/end pilasters could be fixes on them.
- The base of leg is anchored to the floor with nylon plugs that are inserted into ground with SS screws
- The adjustable legs provide floor clearance of 150 mm.
- The extruded anodized aluminum top rail is fixed to maintain alignment of all pilasters
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through aluminum
 U-channels.
- Maintaining the floor clearance of 150 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Each mid/end pilaster coming at the free end of the door is furnished with one privacy thump-turn and one door stopper channel to reduce the noise.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- Adjustable SS legs
- Natural Anodizing aluminum Top rail arrangement for better stability and economy
- SS accessories (hinges, coat hook, adjustable foot, lock set/latch indicator etc)



Privacy indicator/Knob

SS Coat hook



Anodizing aluminum Top rail



Adjustable SS Legs



PROseries LORON

BOX-UP12mm

Enhance the beauty of your restrooms with the LORON/PRO series of cubicle systems.

This 12 mm shoe box up series gives your restroom area an elegant, contemporary and clean look. Laminates for these cubicles come in magnificent colours and designs with stainless steel top rails that provide stability and strength. All accessories like hooks, hinges and door knobs are in stainless steel. This series works well for high end commercial spaces, specialty hospitals, spas and club houses.

PROPOSED APPLICATION AREAS

commercial

plush offices / high end shopping malls

hospitality

restaurants / hotels

healthcare


high end hospitals

sports & wellness spa / club houses

CUBICLE SYSTEMS



REGULAR FORMAT SPECIAL FORMAT FOR SPECIALLY ABLED



DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	1915	1915
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1760	1760
Door width	600	900
Top rail height	55	55
Bottom gap	100	100
HPL Thickness	12	12

THE STRUCTURE

- SS Shoe Box (Grade 316) provided in the PRO series is anchored to the floor so that mid/end pilasters could be fixes on them.
- The pilaster is supported by L-bracket floor anchor bolt witch is concealed with 100 mm high SS Shoe Box
- The Shoe Box provides floor clearance of 100 mm.
- The top rail (SS Grade 304) is fixed to maintain alignment of all pilasters (mandatory in 12 mm model)
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through SS U-channels.
- Maintaining the floor clearance of 100 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- SS Shoe Box Up arrangement at bottom enhances the overall beauty of the restroom area
- SS Top rail arrangement for better stability and strength
- SS accessories





Privacy indicator/Knob

Coat hook



SS Top rail



SS Shoe Box Up - 12 mm compact board

PROseries LANTO

BOX-UP18mm

Fine design sensibility coupled with magnificence has a new name with the LANTO/PRO series shoe box up cubicle system. Formulated with 18mm thick compact laminates that provide extra sturdiness and durability, one can do away with the top rails if desired. The cubicle accessories are in stainless steel with each door having one privacy thumb-turn and one door-stopper channel for a noise free experience. This series with its flexibility, durability and enhanced sturdiness works well in high end commercial spaces, plush offices, restaurants and luxury spas.

PROPOSED APPLICATION AREAS

commercial

plush offices / high end shopping malls

hospitality


restaurants / hotels

healthcare


high end hospitals

sports & wellness spa / club houses

CUBICLE SYSTEMS



TOP VIEW 3000 1200 1200 150 REGULAR FORMAT SPECIAL FORMAT FOR SPECIALLY ABLED



DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	1870	1870
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1715	1715
Door width	600	900
Top rail height	45	45
Bottom gap	100	100
HPL Thickness	18	18

THE STRUCTURE

- SS Shoe Box (Grade 316) provided in the PRO series is anchored to the floor so that mid/end pilasters could be fixes on them.
- The pilaster is supported by L-bracket floor anchor bolt witch is concealed with 100 mm high SS Shoe Box
- The Shoe Box provides floor clearance of 100 mm.
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through SS U-channels.
- Maintaining the floor clearance of 100 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Each mid/end pilaster coming at the free end of the door is furnished with one privacy thump-turn and one door-stopper channel to reduce the noise.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- SS Shoe Box Up arrangement at bottom enhances the overall beauty of the restroom area
- 18 mm thick Compact Board makes the entire setup sturdier
- SS Top rail arrangement for better stability and strength (optional in this model)
- SS accessories





•

Privacy indicator/Knob

SS Coat hook



SS Top rail



SS Shoe Box Up / 18 mm compact board

PROseries HANG UP

Presenting the flawless floating format with smooth aesthetics and contemporary persona – The Hang UP/Pro series. This is a ceiling hung model to give your washroom the futuristic look along with a hassle free cleaning hygiene maintenance. The cubicle accessories are in stainless steel with each door having one privacy thumb-turn and a doorstopper channel for the noise free experience. This series with its clear-floor neat modern look and durability works well in premium commercial spaces and malls, sports and health clubs, gyms, spas etc.

PROPOSED APPLICATION AREAS

commercial


premium offices / high end shopping malls


healthcare


high end hospitals

sports & wellness spa / sports clubs / gym

CUBICLE SYSTEMS







DIMENSIONS

Standard dimensions (mm)	Regular
Total cubicle hight from ground	2400
Cubicle depth	1550
Pilaster height	1860
Pilaster width	150/300
Door height	1715
Door width	600
Top rail height	45
Bottom gap	100
HPL Thickness	12

THE STRUCTURE

- The top supporting system runs above the ceiling to Strengthen & support the system. The aluminum hollow rectangle channel is first held above the false ceiling on both ends by MS L angle, which is fixed on to the wall with 3 set of quality steel wall plus c/w bolts.
- The ground clearance is 100 mm.
- The rectangle channel are distributed equally, in sync with the position of the pilaster and fixed into the hollow MS top rail using bolts and screws.
- Maintaining the floor clearance of 100 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Each mid/end pilaster coming at the free end of the door is furnished with one privacy thump-turn and one door-stopper channel to reduce the noise.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- Hang Up arrangement gives absolute ground clearing to the restrooms
- 12 mm thick Compact Board makes the entire setup sturdier
- SS accessories





Privacy indicator/Knob

SS Coat hook

SS finish aluminum Top rail



absolute ground clearance

PROSERIES ROVE

ROVE - this new addition in the PRO series offers the clear floor concept that makes hygiene maintenance a fuss free task. This format of cubicles is formatted with 12mm compact laminates that provide sleekness and durability both. The cubicle accessories are in stainless steel with each door having one privacy thumb-turn and a doorstopper channel for the noise free experience. This series with its clear-floor neat contemporary look and durability works well in premium commercial spaces, sports arena, health clubs, gyms and spa.

PROPOSED APPLICATION AREAS

commercial


premium offices / high end shopping malls


healthcare

high end hospitals

sports & wellness spa / sports clubs / gym

CUBICLE SYSTEMS





DIMENSIONS

Standard dimensions (mm)	Regular
Total cubicle hight from ground	2015
Cubicle depth	1550
Pilaster height	1860
Pilaster width	150/300
Door height	1715
Door width	600
Top rail height	45
Bottom gap	100
HPL Thickness	12

THE STRUCTURE

The D shaped Hollow aluminum Toprail (Grade 5063 T-6) is held to the concrete wall on both the ends by MS L angle, which is fixed to the wall with SS screws.

The front pilaster is fixed into the Toprail with SS screws inserted on the back side on Top rail

The ground clearance is 100 mm.

Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through SS U-channels.

Maintaining the floor clearance of 100 mm, each door is mounted on mid/end pilaster with 3 hinges.


Each door has one coat hook and door knob affixed.

Each mid/end pilaster coming at the free end of the door is furnished with one privacy thump-turn and one door-stopper channel to reduce the noise.

• Door opening could be set either from inside or outside and could be fixed on left or right side.

- Hang Up arrangement gives absolute ground clearing to the restrooms
- 12 mm thick Compact Board makes the entire setup sturdier
- SS Top rail arrangement for better stability and strength
- SS accessories





Privacy indicator/Knob

SS Coat hook



SS finish aluminum Top rail



absolute ground clearance

ACEseries NUVO

Less is more with the **NUVO/ACE** series cubicle series. These minimalistic design rest room cubicles are easy to construct, are economical exhibiting a simple sophistication. These systems come with adjustable nylon coated legs that give your restroom space a clean and neat look. Powder coated aluminum top rails gives you stability and durability at an economical price. The cubicle accessories like hinges, lockset indicator, hooks and door knobs are in nylon. Live minimalistic- live with NUVO.

PROPOSED APPLICATION AREAS

commercial

shopping malls / commercial complex

hospitality

restaurants

healthcare

hospitals / clinics


sports & wellness

stadium / sports clubs / gym club houses


education

schools / collages / universities

CUBICLE SYSTEMS



REGULAR FORMAT SPECIAL FORMAT FOR SPECIALLY ABLED




DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	2055	2055
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1815	1815
Door width	600	900
Top rail height	45	45
Bottom gap	150	150
HPL Thickness	12	12

THE STRUCTURE

- The adjustable legs (Nylon PA-6) are anchored on the floor so that the mid/end pilaster can be fixed on them.
- The base of leg is anchored to the floor with nylon plugs that are inserted into ground with SS screws.
- The adjustable legs provide floor clearance of 150 mm.
- Powder coated Aluminum top rail (Grade 6063-T% Alloy) is fixed to maintain alignment of all pilasters.
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through aluminum U-channels.
- Maintaining the floor clearance of 150 mm, each door is mounted on mid/end pilaster with 3 hinges.
- Each door has one coat hook and door knob affixed.
- Each mid/end pilaster coming at the free end of the door is furnished with one privacy thump-turn and one door stopper channel to reduce the noise.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- Adjustable nylon coated legs
- Powder coated aluminum Top rail arrangement for better stability, economy and aesthetics
- Nylon accessories (hinges, coat hook, adjustable foot, lock set indicator etc.)
- Nylon accessories available in three colour variants:
 White / Gray / Black





Privacy indicator/Knob

Nylon Coat hook



Powder coated aluminum Top rail



Adjustable Nylon Legs







RORSO

Today's multiplexes, large commercial spaces and hospitals bear the wear and tear of a heavy footfall in their restrooms. In such busy restrooms, one wants sturdiness with sensibility. The RORSO/ACE series is your answer to strength and durability. The strength of this system comes from its powder coated robust aluminum round poles that also double up to give your restroom a creative soft edge. With cubicle accessories in nylon, they are easy on maintenance. The top rail arrangement in aluminum gives you stability and economy.

PROPOSED APPLICATION AREAS

commercial

shopping malls / commercial complex

hospitality

restaurants

healthcare

hospitals / clinics

sports & wellness

stadium / sports clubs / gym club houses


education

schools / collages / universities

CUBICLE SYSTEMS



TOP VIEW 3000 1200 1200 150 REGULAR FORMAT FOR SPECIALLY ABLED



DIMENSIONS

Standard dimensions (mm)	Regular	Specially abled
Total cubicle hight from ground	2055	2055
Cubicle depth	1550	1550
Pilaster height	1860	1860
Pilaster width	150/300	150/300
Door height	1815	1815
Door width	600	900
Top rail height	45	45
Bottom gap	150	150
HPL Thickness	12	12

THE STRUCTURE

- Powder coated robust aluminum Round poles with foot anchored are on the floor so that the mid/end pilaster can be fixed on them.
- The base of round pole leg is anchored to the floor with nylon plugs that are inserted into ground with SS screws.
- The adjustable M Pole legs provide floor clearance of 150 mm.
- Powder coated Aluminum top rail (Grade 6063-T% Alloy) is fixed to maintain alignment of all pilasters.
- Intermediate Panels (partitions) are fixed to rear wall and mid pilaster through aluminum U-channels.
- Maintaining the floor clearance of 150 mm, each door is mounted on round pole with 3 hinges.
- The round pole is affixed rubber sponge to reduce the noise.
- Each door has one coat hook and door knob affixed.
- Each mid/end pilaster coming at the free end of the door is furnished with one Latch Lock Set.
- Door opening could be set either from inside or outside and could be fixed on left or right side.

- Adjustable nylon/Aluminum coated M pole legs
- Powder coated aluminum Top rail arrangement for better stability, economy and aesthetics
- Nylon accessories (hinges, coat hook, adjustable foot, latch indicator etc.)
- Nylon accessories available in three colour variants:
 White / Gray / Black



Privacy indicator/Knob

Nylon Coat hook



Powder coated aluminum Top rail



Adjustable nylon/Aluminum coated M pole legs



ACEseries ZONA

The **ZONA/ACE series** of cubicle systems is your answer when aesthetics and ease are needed in renovation projects. Using existing intermediate brick walls, this system fits in perfectly with its door arrangement. The 12mm thick, compact board doors come in varied designs and colours. This system warps around matching pilaster, is slim and strong with high durability. They work well where speed of installation with minimal maintenance is needed in renovation projects.

PROPOSED APPLICATION AREAS

clinics

CUBICLE SYSTEMS





DIMENSIONS

Standard dimensions (mm)

Total cubicle hight from ground

Door width

Door hight

Bottom gap

HPL Thickness

Regular Specially abled

The dimensions

shall be as per

brick walls setup.

existing intermediate


150

2010

150

THE STRUCTURE

- Aluminum D-shaped poles are fixed in the wall on both sides with SS screws and wall plugs.
- Maintaining the floor clearance of 150 mm, each door is mounted on D-shaped pole with 3 hinges.
- The poles are affixed rubber sponge/lining to reduce the noise.
- Door opening could be set only from inside and could be fixed on left or right side.



Privacy indicator/Knob

SPECIAL FEATURES

- Doors made up of 12mm thick compact board
- Hardware and accessories available in Nylon +
- Slim and strong, highly durable system
- Wrap around matching pilaster
- Faster installation, maintenance friendly
- Nylon accessories available in three colour variants: White / Gray / Black









Coat hook

commercial

offices / commercial complex

hospitality


highway restuarants

healthcare


sports & wellness

stadium / sports clubs / gym / club houses

TOP VIEW



FRONT ELEVATION









ACEseries **KUBO**

The **Kubo series** of cubicle systems is designed with children in mind, ensuring a fun, safe, and engaging restroom experience. With smooth edges, vibrant color options, and kid-friendly hardware, these cubicles create a comfortable and secure environment. Built with durable, easy-to-clean materials, they are perfect for high-traffic areas where safety and hygiene are a priority.

education

pediatric clinics / children's hospitals

CUBICLE SYSTEMS











PROPOSED APPLICATION AREAS

schools / nurseries / daycare centers

recreation & entertainment


play zones / amusement parks


retail & public spaces shopping malls / family-friendly cafés & restaurants

healthcare

community & wellness kids' clubs / activity centers

TOP VIEW





ADVANTAGES







resistant to





quick installation







abrasion resistant







wide range of



















cigarette burns














THE CONSTRUCT



SOLID COMPACT LAMINATE Black core craft paper (treated with melamine resign) ------Solid design paper (treated with melamine resign) -----

Compact Laminates with **ANTI-BACTERIAL** & ANTI-FUNGIE properties



- Retards 99.9% of fungal and bacterial growth on contact with the
- Backed by Green Guard Certification, and now with the Anti-Bacterial & Anti-Fungie protection, it will improve the indoor air quality by leaps and bounds.
- Meets the standards of ASTM G21 09 and ISO 22196 2007, which is based on JIS Z 2801.

WHY CUBOID

- 33 years of experience in HPL
- extensive product range
- product innovation with top design
- top quality material and processing
- professional installation on site
- prompt and on-schedule delivery
- Affordable and smart solutions
- one-stop service
- quick quotation processing

ALPHADIVIDER PANELS

Restroom Divider Panels get a new name with CUBOID divider panels from the house of Stylam. These restroom Divider Panels (urinal partitions) come in vibrant colours and design, and are made with superior grade 12mm compact laminates that come with the seal of anti-bacterial and anti-fungie protection. Aside from hygiene, privacy is very important in these areas. Crafted as a single undivided piece with chamfered edges, these Divider Panels give your restroom space a clean and neat look. The material and colour can be perfectly attuned to the layout of the room and the cubicles.

PROPOSED APPLICATION AREAS

commercial

offices / shopping malls / commercial complex

hospitality

restaurants / hotels

healthcare hospitals / clinics

sports & wellness stadium / sports clubs / gym / spa / club houses

education

schools / collages / universities

URINAL PARTITIONS




THE STRUCTURE

- Each divider panel is equipped with SS L-clamp that attaches the divider to the wall.
- SU-304 screws are used for fixing th divider panel to the wall.
- The partition panels are manufactured using 12 mm thick compact laminate.
- As per international standards the gap of the divider from the ground should be 500-600 mm.

DIMENSIONS

with SS er to the	Standard dimensions Regula (mm)		
	Partition depth	550	
g the	Partition hight	1200	
	Gap from ground	500-600	
ctured	HPL thickness	12	




SUPPORT GRAB BAR SYSTEMS



CUBOID Support Grab bar system is an adaptable tube and connector system that facilitates productive custom-made design for support grab bars, guide railing and staircases where vertical post fixing is essential. The range consists of anti-corrosive nylon fixtures and high quality aluminum fittings.


All the products have been designed to provide utmost hygiene, easy maintenance, anti-static surface, sturdiness and stability. These heavy-duty grab bars are manufactured in accordance to ADA guidelines to provide firmness and added assistance to physically challenged. Available in both left and right handed version with plugs and screws.






CUBICLE FORMATS AT A GLANCE


















PROseries LORON



















PROseries HANGUP

REGULAR FORMAT

SPECIAL FORMAT FOR SPECIALLY ABLED

TOP VIEW






REGULAR FORMAT

SPECIAL FORMAT FOR SPECIALLY ABLED


FRONT ELEVATION




PROseries LANTO

ACEseries **NUVO**







ACCESSORIES GROCERY



THE CERTIFICATES



Top Rail Cocer Material: SS / Nylon Used in: Lanto, Nuvo, Rorso



Coat Hook Material: Nylon Used in: Nuvo, Rorso, Zona



Door Knob Material: SS / Nyloı Jsed in: all models



End Connector
Material: SS
Used in: Dura, Loron



Wall BracketMaterial: SS
Used in: Dura, Loron



Material: SS / Nylon Used in: all models



Coat Hook Material: SS Used in: Dura, Max, Loron, Lanto



L Clamp Material: SS Used in: Alpha Urinal Partitions





































TECHNICAL DATA

NUVO


BILL OF QUANTITIES FOR TOILET BLOCK WORK


6 N	O STEAM DESCRIPTION	APPROVED	BASIC	ASIC REMARKS QUANTITY	LINIT DAT	DATE	444011117	
S. N	ITEM DESCRIPTION	MAKE	PRICE	FLOOR	TOTAL	UNIT	RATE	AMOUNT
1.0	0 PARTITIONS AND ASSOCIATED WORKS							
1.0	0 Toilet Cubical							
	Providing & fixing RURAA CUBOID-NUVO Toilet Cubicle (of following standard dimension which includes 600mm door size width) made of heat, bacteria, water, chemical, scratch, impact and anti bacterial resistant 12mm thick solid compact laminate panels. Finish of the compact laminate should be Suede / *Raw Silk, which includes doors, pilasters & intermediate panels tested by national test house. finished with approved texture/shade as per the detail drawings & as per IS 2046 (Indian Standard) and as per fire retardant BS-476/97 standard. The product should have Green Guard Certificate. This also includes providing and fixing in position necessary hardware made out of Nylon Polyamide Grade-6 & Aluminium powder coated top rail as per manufacturer's specifications & Architects instructions like (1) Door Knob, (2) Gravity Hinges, (3) Thumb turn lockset indicator, (4) Aluminum Top Rail, (5) Coat Hook, (6) U-Channels, (7) Adjustable Foot, (8) Noise Deafening Tape (9) Screws & wall plugs etc. The top fitting should consist of Aluminum Powder Coated top rail which will get fixed with Mid & End pilasters. All screws will of 304 Grade in stainless steel with satin finish. Top rail is extruded Aluminium will be powder coated or anodized (Grade 6063 Micron Aluminium). All pilasters are supported by grade-6 Nylon Polyamide Thermoplastic palm design pedestal footing with non corrosive steel inserts. The base diameter 65mm and neck diameter 33mm anchored to the floor with grade 304 satin finish stainless steel screws with push fit capping at a clearance height of 150mm. Model is Heat and Bacteria Resistant Polyamide in which aluminium U-Channel will be used for the fixing of intermediate panels to the wall.	NUVO BY RURAA						
1.0	Toilet Cubicle with standard dimension of 2055mm Height x 1000mm Width x 1550mm Depth, which includes 600mm door size width).							
1.0	Toilet Cubicle I-Shape (Front Partition) with standard dimension of 2055mm Height x 1000mm Width which includes 600mm door size width).							



	DURA						
S. NO.	ITEM DESCRIPTION	Approved Make					
1.00	PARTITIONS AND ASSOCIATED WORKS						
1.00	Toilet Cubical	DURA BY RURAA					
	Providing & fixing RURAA CUBOID DURA Toilet Cubicle (of following standard dimension which includes 600mm door size width) made of heat, bacteria, water, chemical, scratch, impact and anti bacterial resistant 12mm thick solid compact laminate panels tested by national test house. Finish of the compact laminate should be Suede, which includes doors, pilasters & intermediate panels finished with approved texture/shade as per the detail drawings & as per IS 2046 (Indian Standard) and as per fire retardant BS-476/97 standard. The product should have Green Guard Certificate. This also includes providing and fixing in position necessary hardware made out of Stainless steel (Grade 304) as per manufacturer's specifications & Architects instructions like (1) Door Knob, (2) Gravity Hinges, (3) Thumb turn lockset with Occupancy indicators, (4) Coat hooks with Door stopper (5) U-Channels, (6) Adjustable Legs/pedestal (Grade 316), (7) Top rail with Corner connector (8) Rubber noise deafening tape, (9) Screws & wall Plugs. The top fitting should consist of SS round top rail which will get fixed with pilasters, with SS panel tube holder, SS corner bend (connected with top rail) will be used on the corner of cubicle in absence of brick wall, SS wall fixing is used only on the wall which will hold the SS top rail. All screws will of 304 Grade in stainless steel with satin finish. All pilasters are supported by stainless steel Bottom Cladding. The base of the stainless steel bottom cladding will be anchored to the floor with a clearance height up to 150mm.						
1.01	Toilet Cubicle with standard dimension of 2065mm Height x 1000mm Width x 1550mm Depth, which includes 600mm door size width).						
1.02	Toilet Cubicle I-Shape (Front Partition) with standard dimension of 2065mm Height x 1000mm Width which includes 600mm door size width).						

ACEseries RORSO









ACEseries **ZONA**









ACCESSORIES GROCERY



D Pole Chanel Material: Aluminum Used in: Zona



Top Rail Material: SS/Aluminum Used in: Lanto, Max, Nuvo, Rorso



Lock Material: Nylon Used in: Zona, Rorso Colour options: white, grey, black



F Chanel Material: SS/Aluminum Used in: Dura, Max, Loron, Lanto, Nuvo, Rorso, Rove, Hangup



Material: SS Used in: Dura, Max



Lock Material: Nylon Used in: Nuvo Colour options: white, grey, black



U Chanel Material: SS/Aluminum Used in: Dura, Max, Loron, Lanto, Nuvo, Rorso, Rove, Hangup



Material: Nylon Used in: Nuvo Colour options: white, grey, black



M Pole Foot Material: Nylon, Alminium Used in: Rorso



Round Top Rail Material: SS Used in: Dura, Loron



Shoe Box Material: SS Used in: Loron (12mm), Lanto (18mm)



Tabular Holder Material: SS Used in: Dura, Loron



OUR CLIENTS





























